

Part 18 - Exploding Monsters

Time to have the monsters explode into bits of jelly when we shoot them. Another new asset:



Right click and save this image into the data/texture folder of our project as "jelly.png".

Every monster will explode into several of these jelly objects when shot.

Create graphics for the jelly frames:

```
[JellyGraphic]
Texture          = jelly.png
TextureOrigin   = (0, 0, 0)
TextureSize     = (32, 32, 0)
Pivot           = center
```

Then an individual JellyObject:

```
[JellyObject]
Graphic         = JellyGraphic
AnimationSet    = JellyAnimationSet
Speed          = (-50, -50, 0) ~ (50, -50, 0)
Position       = (0, -300, 0)
Body           = JellyBody
```

Next to make the JellyAnimationSet:

```
[JellyAnimationSet]
Texture          = jelly.png
FrameSize       = (32, 32, 0)
JellyWobbleAnim = -1
StartAnim       = JellyWobbleAnim
JellyWobbleAnim-> = JellyWobbleAnim
Pivot           = center

[JellyWobbleAnim]
KeyDuration     = 0.08
```

The jelly needs a body. This is so the bits will bounce nicely over the platforms:

```
[JellyBody]
Dynamic         = true
PartList        = JellyBodyPart

[JellyBodyPart]
Type            = sphere
```

```
Radius      = 10
Solid       = true
SelfFlags   = jelly
CheckMask   = platforms
```


Then let the platforms know about the jelly, by adding it the platform's mask:

```
[PlatformBodyPart]
Type        = box
Solid       = true
SelfFlags   = platforms
CheckMask   = hero # monster # jelly
```

Test it by adding a JellyObject to the Scene section:

```
[Scene]
ChildList = PlatformObject # MiddlePlatformObject #
TopLeftPlatformObject # TopPlatformObject #
TopRightPlatformObject #
StarObject # JellyObject
TrackList = MonsterMakerTrack
```

Run it and a jelly will drop onto the platform:



That's not bad, but really... the animation frame setup isn't quite what we're after. In our `JellyAnimationSet` we're just letting Orx automatically take the three frames in the sprite sheet. We really need four frames:

- Frame 1
- Frame 2
- Frame 1
- Frame 3

That is how the animation should be. Thankfully Orx will let us specify the third and fourth frames for an animation manually. Add the following config to set this up:

```
[JellyWobbleAnim3]
TextureOrigin = (0, 0, 0)

[JellyWobbleAnim4]
TextureOrigin = (64, 0, 0)
```

Great. By using the name of the animation (`JellyWobbleAnim`) + the frame number, now frames 3 and 4 are overridden in the sheet while frames 1 and 2 are picked up automatically by Orx.

The next step is to create an explosion object. This will be an empty object that contains a spawner. The spawner will shoot out five jellies. These explosion objects can be placed on any monster for

dramatic effect:


```
[JellyExploder]
Spawner          = JellySpawner

[JellySpawner]
Object           = JellyObject
WaveSize         = 5
WaveDelay        = 0.1
TotalObject      = 5
```

To test one of the these, remove the JellyObject from the Scene section and add the JellyExploder instead:

```
[Scene]
ChildList = PlatformObject # MiddlePlatformObject #
TopLeftPlatformObject # TopPlatformObject #
TopRightPlatformObject #
StarObject # JellyExploder
TrackList = MonsterMakerTrack
```

Run the game to test the exploder:



Great, we see a bunch of jelly blobs appear. Remove the JellyExploder from the Scene selector:

```
[Scene]
ChildList = PlatformObject # MiddlePlatformObject #
TopLeftPlatformObject # TopPlatformObject #
TopRightPlatformObject #
StarObject
TrackList = MonsterMakerTrack
```

Also remove the Position parameter from the JellyObject because these will soon be dynamically placed. Also change the Speed parameter to be more dramatic:

```
[JellyObject]
Graphic = JellyGraphic
AnimationSet = JellyAnimationSet
Speed = (-50, -250, 0) ~ (50, -450, 0)
Body = JellyBody
```

Next, we need to ensure that the BulletObject has a body and that it can collide with a monster:

```
[BulletObject]
Graphic = BulletGraphic
```

```
LifeTime = 1.0
Scale     = 0.25
Body      = BulletBody

[BulletBody]
Dynamic   = false
PartList  = BulletBodyPart

[BulletBodyPart]
Type      = box
Solid     = false
SelfFlags = bullet
CheckMask = monster
```

The bullets are not affected by gravity (not Dynamic) nor do they bounce off other objects (not Solid).

In order to make a monster explode, we can make a function in the code which will create a exploder object on top off a monster object, and then destroy the monster itself:

```
void CreateExplosionAtObject(OrxObject *object, OrxString
exploderObjectName)
{
    if (object == OrxNull)
        return;

    OrxVector objectVector;
    OrxObject_GetWorldPosition(object, &objectVector);
    objectVector.fZ = 0.0;

    OrxObject *explosion = OrxObject_CreateFromConfig(exploderObjectName);

    OrxObject_SetPosition(explosion, &objectVector);
}
```

We are passing in a named exploderObjectName so that we can re-use this function later for other exploders we'll make.

Now to use it. In the physics event, add a check for collision between a bullet and a monster and process it:

```
if (OrxString_Compare(senderObjectName, "BulletObject") == 0){
    CreateExplosionAtObject(pstRecipientObject, "JellyExploder");
    OrxObject_SetLifeTime(pstSenderObject, 0);
    OrxObject_SetLifeTime(pstRecipientObject, 0);
}

if (OrxString_Compare(recipientObjectName, "BulletObject") == 0){
    CreateExplosionAtObject(pstSenderObject, "JellyExploder");
}
```


```

    orxObject_SetLifeTime(pstSenderObject, 0);
    orxObject_SetLifeTime(pstRecipientObject, 0);
}

```

So in both cases, create the JellyExplosion on top of a monster, then destroy both the monster and the bullet that hit it.

Compile and run. You'll get some crazy jelly action all over the screen:



The jelly blobs never disappear. Fix that by giving it a specific lifetime:

```

[JellyObject]
Graphic      = JellyGraphic
AnimationSet = JellyAnimationSet
Speed       = (-50, -250, 0) ~ (50, -450, 0)
Body        = JellyBody
LifeTime    = 5

```

Next: Part 19 - [The Hero's survival](#).

- [Part 1 – Downloading Orx](#)
- [Part 2 – How Orx works](#)
- [Part 3 – Setting up a new game project](#)
- [Part 4 – A tour of an Orx project](#)
- [Part 5 – Viewport and the camera](#)
- [Part 6 – Objects](#)
- [Part 7 – Spritesheets and Animation](#)
- [Part 8 – Platforms and Texture Repeating](#)
- [Part 9 – Physics](#)
- [Part 10 – Input Controls](#)
- [Part 11 – Running and Standing](#)
- [Part 12 – Changing Direction](#)
- [Part 13 – Getting our hero to shoot](#)
- [Part 14 – FX](#)
- [Part 15 – Collision Events.](#)
- [Part 16 – Jelly Monsters](#)
- [Part 17 – Timeline Tracks](#)
- [Part 18 – Exploding Monsters](#)
- [Part 19 – The Hero's survival.](#)
- [Part 20 – Text and Game Over](#)

From:
<https://orx-project.org/wiki/> - **Orx Learning**

Permanent link:
https://orx-project.org/wiki/en/guides/beginners/exploding_monsters?rev=1568193276

Last update: **2025/09/30 17:26 (7 months ago)**

