

# Part 20 - Text and Game Over

For our last hurrah, we'll add a score object in the top left corner of the screen and increase it for each monster shot and when the star is collected.

First the score text, graphic and object:

```
[ScoreText]
String = 000

[ScoreGraphic]
Text = ScoreText
Pivot = top left

[ScoreObject]
Graphic = ScoreGraphic
Position = (-380, -280, 0)
```

Interesting to note the special Text definition. ScoreGraphic uses this instead of a texture from file. And the ScoreObject uses the graphic section as others before.

Now, in code, add a score variable and a scoreObject at the top of the file:

```
orxOBJECT *hero;
orxOBJECT *herosGun;
orxOBJECT *scoreObject;
orxS16 score = 0;
```

Next, create a score object and assign it to the scoreObject variable in the Init() function:

```
scoreObject = orxObject_CreateFromConfig("ScoreObject");
```

Add a little function to increase the score and update the ScoreObject:

```
void UpdateScore(int increase){
    score += increase;

    orxCHAR formattedScore[6];
    orxString_Print(formattedScore, "%d", score);

    orxObject_SetTextString(scoreObject, formattedScore);
}
```

Add 250 points whenever a monster is hit with a bullet. Add UpdateScore() function calls to:

```
if (orxString_Compare(senderObjectName, "BulletObject") == 0){
    CreateExplosionAtObject(pstRecipientObject, "JellyExploder");
    orxObject_SetLifeTime(pstSenderObject, 0);
    orxObject_SetLifeTime(pstRecipientObject, 0);
```

```
        UpdateScore(250);  
    }  
  
    if (orxString_Compare(recipientObjectName, "BulletObject") == 0){  
        CreateExplosionAtObject(pstSenderObject, "JellyExploder");  
        orxObject_SetLifeTime(pstSenderObject, 0);  
        orxObject_SetLifeTime(pstRecipientObject, 0);  
        UpdateScore(250);  
    }  
}
```

And of course, 1000 points bonus if the star is reached. Add the following code:

```
if (orxString_Compare(senderObjectName, "StarObject") == 0){  
    orxObject_SetLifeTime(pstSenderObject, 0);  
    UpdateScore(1000);  
}  
  
if (orxString_Compare(recipientObjectName, "StarObject") == 0){  
    orxObject_SetLifeTime(pstRecipientObject, 0);  
    UpdateScore(1000);  
}
```

Compile and run it. Shoot some monsters and collect the star and observe the score increasing.

That takes care of having an active score object.

A final thing for the game will be to add a game over panel when the hero dies. For this, we'll have an object that gets created using a timeline track after a two second delay. First, a game over asset:



Save this into the data/texture folder as "gameover.png".

Create a simple gameover graphic and object:

```
[GameOverGraphic]  
Texture = gameover.png  
Pivot = center  
  
[GameOverObject]  
Graphic = GameOverGraphic  
Position = (0, 0, -0.1)
```

Create a timeline track with a single command to create the GameOverObject:

```
[PopUpGameOverTrack]  
2 = Object.Create GameOverObject
```

Then finally, change the physics handler code, so that when the hero is destroyed, create the timeline track. After a two second delay, the GameOverObject will be created on screen:

```

if (orxString_Compare(recipientObjectName, "HeroObject") == 0 &&
    orxString_Compare(senderObjectName, "MonsterObject") == 0)
{
    CreateExplosionAtObject(pstRecipientObject, "HeroExploder");
    orxObject_SetLifeTime(pstSenderObject, 0);
    orxObject_Enable(pstRecipientObject, orxFALSE);
    orxObject_AddTimeLineTrack(scene, "PopUpGameOverTrack");
}

if (orxString_Compare(senderObjectName, "HeroObject") == 0 &&
    orxString_Compare(recipientObjectName, "MonsterObject") == 0)
{
    CreateExplosionAtObject(pstSenderObject, "HeroExploder");
    orxObject_SetLifeTime(pstRecipientObject, 0);
    orxObject_Enable(pstSenderObject, orxFALSE);
    orxObject_AddTimeLineTrack(scene, "PopUpGameOverTrack");
}

```

Because we never had a reference to the scene before in order to add the PopUpGameOverTrack, we'll need to make a variable reference to it at the top of the code:

```


orxOBJECT *hero;
orxOBJECT *herosGun;
orxOBJECT *scene;
orxOBJECT *scoreObject;
orxS16 score = 0;

```

And then set the `scene` variable on the `orxObject_CreateFromConfig("Scene")` in the `init()` function:

```
scene = orxObject_CreateFromConfig("Scene");
```

Compile and run. Kill your hero and wait two seconds. The game over panel will appear:



Well friends, that's game over. If you reached the end here, great job! You've learned many of the major features of Orx.

If you need more help, go to the [tutorials](#) section where many of these concepts are covered in greater detail.

If you need quick examples, you can visit the [examples](#) section and search by subject.

If you get stuck, please post it to the [forum](#), and for general chat, come and join us over in [gitter](#). Hope to see you there.

---

- [Part 1 – Downloading Orx](#)
- [Part 2 – How Orx works](#)
- [Part 3 – Setting up a new game project](#)
- [Part 4 – A tour of an Orx project](#)
- [Part 5 – Viewport and the camera](#)
- [Part 6 – Objects](#)
- [Part 7 – Spritesheets and Animation](#)

- Part 8 – Platforms and Texture Repeating
- Part 9 – Physics
- Part 10 – Input Controls
- Part 11 – Running and Standing
- Part 12 – Changing Direction
- Part 13 – Getting our hero to shoot
- Part 14 – FX
- Part 15 – Collision Events.
- Part 16 – Jelly Monsters
- Part 17 – Timeline Tracks
- Part 18 – Exploding Monsters
- Part 19 – The Hero's survival.
- Part 20 – Text and Game Over

From:

<https://orx-project.org/wiki/> - **Orx Learning**



Permanent link:

[https://orx-project.org/wiki/en/guides/beginners/text\\_and\\_game\\_over?rev=1530275910](https://orx-project.org/wiki/en/guides/beginners/text_and_game_over?rev=1530275910)

Last update: **2025/09/30 17:26 (4 months ago)**