

Keyboard inputs

Keyboard keys

Here's the list of the available keyboard keys for the input config system:

- KEY_0
- KEY_1
- KEY_2
- KEY_3
- KEY_4
- KEY_5
- KEY_6
- KEY_7
- KEY_8
- KEY_9
- KEY_A
- KEY_B
- KEY_C
- KEY_D
- KEY_E
- KEY_F
- KEY_G
- KEY_H
- KEY_I
- KEY_J
- KEY_K
- KEY_L
- KEY_M
- KEY_N
- KEY_O
- KEY_P
- KEY_Q
- KEY_R
- KEY_S
- KEY_T
- KEY_U
- KEY_V
- KEY_W
- KEY_X
- KEY_Y
- KEY_Z
- KEY_SPACE
- KEY_QUOTE
- KEY_COMMA
- KEY_DASH
- KEY_PERIOD
- KEY_SLASH

- KEY_SEMICOLON
- KEY_EQUAL
- KEY_LBRACKET
- KEY_BACKSLASH
- KEY_RBRACKET
- KEY_BACKQUOTE
- KEY_WORLD_1
- KEY_WORLD_2
- KEY_ESCAPE
- KEY_ENTER
- KEY_TAB
- KEY_BACKSPACE
- KEY_INSERT
- KEY_DELETE
- KEY_RIGHT
- KEY_LEFT
- KEY_DOWN
- KEY_UP
- KEY_PAGE_UP
- KEY_PAGE_DOWN
- KEY_HOME
- KEY_END
- KEY_CAPS_LOCK
- KEY_SCROLL_LOCK
- KEY_NUM_LOCK
- KEY_PRINT_SCREEN
- KEY_PAUSE
- KEY_F1
- KEY_F2
- KEY_F3
- KEY_F4
- KEY_F5
- KEY_F6
- KEY_F7
- KEY_F8
- KEY_F9
- KEY_F10
- KEY_F11
- KEY_F12
- KEY_F13
- KEY_F14
- KEY_F15
- KEY_F16
- KEY_F17
- KEY_F18
- KEY_F19
- KEY_F20
- KEY_F21
- KEY_F22

- KEY_F23
- KEY_F24
- KEY_F25
- KEY_NUMPAD_0
- KEY_NUMPAD_1
- KEY_NUMPAD_2
- KEY_NUMPAD_3
- KEY_NUMPAD_4
- KEY_NUMPAD_5
- KEY_NUMPAD_6
- KEY_NUMPAD_7
- KEY_NUMPAD_8
- KEY_NUMPAD_9
- KEY_NUMPAD_DECIMAL
- KEY_NUMPAD_DIVIDE
- KEY_NUMPAD_MULTIPLY
- KEY_NUMPAD_SUBTRACT
- KEY_NUMPAD_ADD
- KEY_NUMPAD_ENTER
- KEY_NUMPAD_EQUAL
- KEY_LSHIFT
- KEY_LCTRL
- KEY_LALT
- KEY_LSYSTEM
- KEY_RSHIFT
- KEY_RCTRL
- KEY_RALT
- KEY_RSYSTEM
- KEY_MENU

From:

<https://orx-project.org/wiki/> - **Orx Learning**

Permanent link:

https://orx-project.org/wiki/en/orx/config/settings_main/input_keyboard?rev=1536576743

Last update: **2018/09/10 06:52 (7 years ago)**

