

Setting up a Development Environment on Linux

The aim of this guide is to show you how to install the GCC compiler onto a fresh version of Linux and how prepare it for using Orx.

There is a more [concise version of the document](#) here, for more experienced Linux users who just want the short overview.

We'll begin with a new Linux distribution. The one I've chosen is Ubuntu 18.04 Bionic. It comes in both 32-bit and 64-bit versions. The reason I chose this is because it is a reasonably small version of Ubuntu Linux, that ships with the bare essentials.

Note on choosing an architecture



If you have a 64-bit processor, you can install either the 32-bit or 64-bit version of Ubuntu. For 32-bit processors, you can only install the 32-bit version. Consider the audience for your game when choosing which architecture you will compile for. Do you intend for your game to only run on a 64-bit processor? Or will it be available as 32-bit to run on either 32 or 64-bit processors?

You can [download the ISO here](#). There are many guides to [installing Ubuntu onto a PC](#) or as a Virtual Machine, so I'll leave that as an exercise for the reader.

The compiler

Once you boot into the Linux desktop, open a Terminal window so that you can download the GCC compiler.

If you have a 64-bit processor and OS, do you want a system that can compile both 64-bit and 32-bit? If so, you'll need to get the multi-arch version of gcc and g++. If you only want the compiler for your current OS architecture, then you can install a regular gcc and g++.

Multi-arch GCC compiler

If you want the ability to compile both 32-bit and 64-bit binaries (and your OS is 64-bit), then you can choose to install the multi-arch version by doing this:

```
sudo apt install gcc-multilib g++-multilib
```

Regular GCC compiler

If you just want to compile for your current OS architecture (32-bit or 64-bit), then you can install with:

```
sudo apt install gcc g++
```

Installing Make

Regardless of what GCC you installed, you need to get make so that you can compile Orx:

```
sudo apt install make
```

Installing Orx dependent libraries

There are four development libraries that Orx uses that are not usually included in Linux by default.

Install these with:

```
sudo apt install freeglut3-dev libsndfile1-dev libopenal-dev libxrandr-dev
```

Downloading and Compiling Orx

There is already a guide available to help you to [clone Orx](#) to your PC. Once you followed this, come back here after.

Once complete, you now have everything you need in order to compile Orx and your own Orx-based projects.

For the actual compiling of the Orx library, there is already a guide to help you using GCC/gmake ([a mac version, but it is pretty much the same](#)). You can follow that to help you compile the Orx library in either 32-bit or 64-bit (depending what CPU and OS you are running). But do return here for some extra notes on multi-arch compiling.

Extra notes on multi-arch compiling (32 and 64bit on the

same machine)

Hopefully you have been successful compiling Orx. On a 64-bit system, you would have been able to compile 64-bit versions of the library and vice-versa for a 32-bit system. However, if you have installed the multi-arch GCC and G++, you can also compile for 32-bit on a 64-bit system.

In order to do that, you must first install the 32-bit versions of the development libraries that Orx depends on with:

```
sudo apt install freeglut3-dev:i386 libsndfile1-dev:i386 libopenal-dev:i386 libxrandr-dev:i386
```

Now you will be able to compile with configs such as:

```
make config=debug32
```

There is a very small gotcha. Because the `libsndfile1-dev` library does not yet contain multi-arch support (at least on Ubuntu), you cannot usually keep both the 32-bit and 64-bit versions of `libsndfile1-dev` on your system at the same time with `apt` or `apt-get`. You can work around this by doing the following:

```
sudo apt install libsndfile1-dev
cd /usr/lib/x86_64-linux-gnu
sudo cp libsndfile.so libsndfile.so_
sudo cp libsndfile.a libsndfile.a_
sudo apt install libsndfile1-dev:i386
sudo cp libsndfile.so_ libsndfile.so
sudo cp libsndfile.a_ libsndfile.a
```

Then you will be able compile 32 or 64-bit config at any time such as:

```
make config=release32
make config=release64
```

Read more about this at [this post on the forum](#).

From:

<https://orx-project.org/wiki/> - **Orx Learning**

Permanent link:

https://orx-project.org/wiki/en/tutorials/orx/linux/setting_up_dev_on_linux?rev=1598881550

Last update: **2020/08/31 06:45 (5 months ago)**

