Preparing for a release under Windows

The following acts as a tutorial and a reference checklist for preparing your build for release and packaging for deployment. It covers preparing and inserting an icon for your executable, a checklist of things for your config files, and finally to create a setup.exe.

Checking Library Dependencies

Orx on Windows depends on *libgcc* and *libstdc++* being compiled in statically, which it is. Your project needs to have these two libraries compiled in statically too, in order avoid the user being prompted when running your application.

These libraries are supplied as part of the Microsoft Visual C++ Redistributable.

Any project you create using init should already be set up to compile in these libraries statically. If your project isn't, you can add the following to your linker options: `-static;-static-libgcc -static-libstdc++`.

This step should not be necessary for Visual Studio users.

Code and Config pre-flight checklist

- Ensure that your [Resource] section has paths that will locate your config when you repackage your binary, configs, assets and DLLs. For example:

```
Texture = ../../data # ./data
```

- Remove any test features from your code.
- Copy your bin and data folders to a new location. Remove any files that aren't needed. Remove orxd.dll and orxp.dll. Only orx.dll is needed for release.
- Test your game .exe and ensure it works correctly with the folder structure changes.

Icon for your .exe

First, create your own icon for your program, using something like Gimp. Gimp can also write out the .ico file format.

You'll need a resource.rc file added to your editor of choice. Things are easier in Visual Studio, but for Codelite, you can follow these steps:

a) Create a .ico icon file, copy it to your src folder, and import it into your project. Right click the icon file and "Exclude from Build". b) Create an empty resource.rc (just a text file) file in the src folder, and import it into your project. c) Create a reference to the icon by entering the following into the resource.rc file:

```
MY_ORX_GAME_ICON ICON "icon.ico"
```

d) In your main code file, add the following #define line (after your #include lines):

```
#define MY_ORX_GAME_ICON  1
```

e) Compile, then check your executable file in file explorer. Your .exe should have an icon.

Creating your Setup Installer

- Download the Inno Setup Compiler http://innosetup.com.
- Launch it.
- Select the wizard option and work through the screens:

Inno Setup Script Wizard ⊠

Welcome to the Inno Setup Script Wizard

This wizard will guide you through the process of creating a new Inno Setup script file. The results will be used to generate a new script file which can be compiled directly or saved on disk for later use.

Not all features of Inno Setup are covered by this wizard. See the documentation for details on creating Inno Setup script files.

Click Next to continue, or Cancel to exit this wizard.

☐ Create a new empty script file

[Next >]   [Cancel]

Inno Setup Script Wizard ⊠

Application Information
Please specify some basic information about your application.

Application name:

MyGreatOrxGame

Application version:

1.0

Application publisher:

My Game Studio, Inc.

Application website:

http://www.mygamestudio.com/

bold = required   [< Back] [Next >]   [Cancel]

Last
update:
2025/09/30
17:26 (7
months
ago)
en:tutorials:publishing:preparing_a_windows_release https://orx-project.org/wiki/en/tutorials/publishing/preparing_a_windows_release?rev=1598876878

- Click "Add Folder", and select the base folder of your game (bin and data are the subfolders).
- Say yes that files in the subfolders should be included.
- Choose options for the user, ie, the start folder name, uninstall icon, quick launch icon, information files to show to the user, etc etc.
- You can then nominate an installation icon for the setup.exe to use.

```
; Script generated by the Inno Setup Script Wizard.
; SEE THE DOCUMENTATION FOR DETAILS ON CREATING INNO SETUP SCRIPT FILES!

[Setup]
; NOTE: The value of AppId uniquely identifies this application.
; Do not use the same AppId value in installers for other applications.
; (To generate a new GUID, click Tools | Generate GUID inside the IDE.)
AppId={{4E9BF251-DCB3-4E39-B210-593119ED09BA}
AppName=MyGreatOrxGame
AppVersion=1.0
;AppVerName=MyGreatOrxGame 1.0
AppPublisher=My Game Studio, Inc.
AppPublisherURL=http://www.mygamestudio.com/
AppSupportURL=http://www.mygamestudio.com/
AppUpdatesURL=http://www.mygamestudio.com/
DefaultDirName={pf}\MyGreatOrxGame
DefaultGroupName=MyGreatOrxGame
AllowNoIcons=yes
OutputBaseFilename=MyGreatGame
SetupIconFile=C:\Work\Icons\icon.ico
Compression=lzma
SolidCompression=yes

[Languages]
Name: "english"; MessagesFile: "compiler:Default.isl"

[Tasks]
Name: "desktopicon"; Description: "{cm:CreateDesktopIcon}"; GroupDescription: "{cm:AdditionalIcons}"; Flags: unchecked
Name: "quicklaunchicon"; Description: "{cm:CreateQuickLaunchIcon}"; GroupDescription: "{cm:AdditionalIcons}"; Flags: unchecke

[Files]
Source: "C:\GameProjects\MyGreatGame\MyGreatGame.exe"; DestDir: "{app}"; Flags: ignoreversion
Source: "C:\GameProjects\MyGreatGame\*"; DestDir: "{app}"; Flags: ignoreversion recursesubdirs createallsubdirs
; NOTE: Don't use "Flags: ignoreversion" on any shared system files

[Icons]
Name: "{group}\MyGreatOrxGame"; Filename: "{app}\MyGreatGame.exe"
Name: "{group}\{cm:UninstallProgram,MyGreatOrxGame}"; Filename: "{uninstallexe}"
Name: "{commondesktop}\MyGreatOrxGame"; Filename: "{app}\MyGreatGame.exe"; Tasks: desktopicon
Name: "{userappdata}\Microsoft\Internet Explorer\Quick Launch\MyGreatOrxGame"; Filename: "{app}\MyGreatGame.exe"; Tasks: quic
```

- Save the .iss script for later editing if need be.
- Select Build/Compile to create your Setup.exe to give out to the world.

That's all.

Additional Tips

There are a number of other things you might like to consider when packaging your release.