


Creating Electrical Sparks

This very short tutorial will show you how to make electrical sparks with a spawner and a couple of FX.

The end result will look like this:



Setting up the configuration

```
[Sparks]
Spawner = SparksSpawner
LifeTime = 1.0

[SparksSpawner]
Object = SparkObject
WaveSize = 10
WaveDelay = 0.05
ActiveObject = 40
Rotation = -25 ~ -15 ; give a slight variance in the angle of each particle
spark
UseRotation = true

[SparkObject]
Graphic = SparkGraphic
LifeTime = 1.0
Speed = (-50, -50, 0) ~ (50, 50, 0) ; when first created, have each spark
shoot
; in random directions
FXList = SparkFallAwayFX # SparkFadeAwayFX ; use both FX so the sparks blow
away
; and burn out

[SparkGraphic]
Texture = spark.png
BlendMode = add
Pivot = center
```

```
[SparkFallAwayFX] ; The simulated gravity on each spark
SlotList      = SparkFallAwayFXSlot
KeepInCache  = true
Loop         = false

[SparkFallAwayFXSlot] ; this movement FX will pull the sparks down and right
                  ; like gravity and wind.
Type          = speed
Curve         = smooth
StartTime     = 0.0
EndTime      = 1.0
StartValue    = (0,0,0)
EndValue      = (150, 250, 0) ~ (140, 300, 0)
Period       = 1.0
Absolute     = false ; make the values relative so they move away from the
                  ; parent spawner, and not a fixed location on the
screen


[SparkFadeAwayFX] ; Have the sparks burn out to nothing
SlotList      = SparkFadeAwayFXSlot
KeepInCache  = true
Loop         = false

[SparkFadeAwayFXSlot]
Type          = alpha
Curve         = linear
StartTime     = 0.0
EndTime      = 1.0
StartValue    = 1.0
EndValue      = 0.0
Period       = 1.0
Absolute     = true ; ensure absolute values for the alpha from 0.0 - 1.0
```

See the comments in the config above to see what part each FX plays on the particles.

A spark graphic

Any small object will do, even a dot. But you can try this little object if you wish:



Setting up Input

Just a quick mouse click handler to create a “Sparks” object on the screen. That will make the demo more fun to play with.

In your Init() method, add a handler for input so we can read the mouse to create sparks:

```
orxEvt_AddHandler(ORX_EVENT_TYPE_INPUT, InputEventHandler);
```

Our event handler method with look like this:

```
orxSTATUS orxFastcall InputEventHandler(const orxEvt *_pstEvent)
{
    if(orxEvt_HasBeenActivated("Click"))
    {
        orxVECTOR mousePosition;

        orxEvt_GetPosition(&mousePosition);
        orxRender_GetWorldPosition(&mousePosition, orxNULL, &mousePosition);

        orxOBJECT *sparks = orxObject_CreateFromConfig("Sparks");
        if (sparks)
        {
            orxVECTOR sparksPosition;
            orxObject_GetPosition(sparks, &sparksPosition);

            sparksPosition.fX = mousePosition.fX;
            sparksPosition.fY = mousePosition.fY;

            orxObject_SetPosition(sparks, &sparksPosition);
        }
    }

    return orxSTATUS_SUCCESS;
}
```

Need to define “Click” as our mouse button in the config:

```
[KeysForInput]
KEY_ESCAPE      = Quit
MOUSE_LEFT     = Click
```

Finished

All done. Click away and cause lots of electrical shorts.

Last update:
2025/09/30
17:26 (9
months ago)

en:tutorials:spawners:electrical_sparks https://orx-project.org/wiki/en/tutorials/spawners/electrical_sparks?rev=1718333812

From:
<https://orx-project.org/wiki/> - **Orx Learning**

Permanent link:
https://orx-project.org/wiki/en/tutorials/spawners/electrical_sparks?rev=1718333812

Last update: **2025/09/30 17:26 (9 months ago)**

