
This very short tutorial will show you how to make electrical sparks with a spawner and a couple of FX.

The end result will look like this:



Setting up the configuration

```
[Sparks]
Spawner = SparksSpawner
LifeTime = 1.0
[SparksSpawner]
Object = SparkObject
WaveSize
            = 10
WaveDelay
            = 0.05
ActiveObject = 40
Rotation = -25 \sim -15; give a slight variance in the angle of each particle
spark
UseRotation = true
[SparkObject]
Graphic = SparkGraphic
LifeTime = 1.0
Speed = (-50, -50, 0) ~ (50, 50, 0) ; when first created, have each spark
shoot
                                    ; in random directions
FXList = SparkFallAwayFX # SparkFadeAwayFX ; use both FX so the sparks blow
away
                                           ; and burn out
[SparkGraphic]
Texture = spark.png
BlendMode = add
Pivot = center
```

Last update: 2018/05/27 11:52 (7 years ago) en:tutorials:spawners:electrical_sparks https://orx-project.org/wiki/en/tutorials/spawners/electrical_sparks?rev=1527447140

```
[SparkFallAwayFX] ; The simulated gravity on each spark
SlotList
            = SparkFallAwayFXSlot
KeepInCache = true
            = false
Loop
[SparkFallAwayFXSlot] ; this movement FX will pull the sparks down and right
                      ; like gravity and wind.
Type
              = speed
Curve
              = smooth
StartTime
              = 0.0
EndTime
              = 1.0
StartValue
             = (0, 0, 0)
              = (150, 250, 0) ~ (140, 300, 0)
EndValue
Period
              = 1.0
Absolute
              = false ; make the values relative so they move away from the
                      ; parent spawner, and not a fixed location on the
screen
[SparkFadeAwayFX] ; Have the sparks burn out to nothing
SlotList
          = SparkFadeAwayFXSlot
KeepInCache = true
           = false
Loop
[SparkFadeAwayFXSlot]
              = alpha
Type
Curve
              = linear
              = 0.0
StartTime
EndTime
              = 1.0
StartValue
              = 1.0
EndValue
              = 0.0
Period
              = 1.0
Absolute
              = true ; ensure absolute values for the alpha from 0.0 - 1.0
```

See the comments in the config above to see what part each FX plays on the particles.

A spark graphic

Any small object will do, even a dot. But you can try this little object if you wish:



Setting up Input

Just a quick mouse click handler to create a "Sparks" object on the screen. That will make the demo more fun to play with.

In your Init() method, add a handler for input so we can read the mouse to create sparks:

orxEvent_AddHandler(orxEVENT_TYPE_INPUT, InputEventHandler);

Our event handler method with look like this:

```
orxSTATUS orxFASTCALL InputEventHandler(const orxEVENT *_pstEvent) {
    if(orxInput_IsActive("Click") && orxInput_HasNewStatus("Click")) {
        orxVECTOR mousePosition = { 0,0,0 };
        orxVECTOR sparksPosition = { 0,0,0 };
        orxMouse_GetPosition(&mousePosition);
        orxOBJECT *sparks = orxObject_CreateFromConfig("Sparks");
        orxObject_GetPosition(sparks, &sparksPosition);
        sparksPosition.fX = mousePosition.fX;
        sparksPosition.fY = mousePosition.fY;
        orxObject_SetPosition(sparks, &sparksPosition);
}
return orxSTATUS_SUCCESS;
```

Need to define "Click" as our mouse button in the config:

[KeysForInput] KEY_ESCAPE = Quit MOUSE_LEFT = Click

Finished

All done. Click away and cause lots of electrical shorts.

